# UNION GROUP CHEMICALS

# SAFETY DATA SHEET

Revision Date 11.04.2022 Version 7.0

according to Regulation (EC) No. 1907/2006

Print Date 03.01.2023

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifiers

Product name : Sodium cyanide

Sodium cyanide

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 143-33-9

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

# 1.3 Details of the supplier of the safety data sheet

Company : Union Group Chemical Company S.L

Calle Mar-Mediterraneo 17-19 Poligono Industrial 28830 San Fernanado de Henares

Madrid -Spain

Telephone : 0034639467927 Fax : 0034916766438

#### 1.4 Emergency telephone

Emergency Phone # : 0034 636 583 751

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No

1272/2008 Corrosive to Metals (Category 1), H290 Acute

toxicity, Oral (Category 1), H300

Acute toxicity, Inhalation (Category 1), H330 Acute toxicity, Dermal (Category 1), H310

Specific target organ toxicity - repeated exposure (Category 1), Thyroid,

H372 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

Page 1 of 11

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram Pictogram

Signal Word Danger

Hazard statement(s)

H290 May be corrosive to metals.

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled.
H372 Causes damage to organs (Thyroid) through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P262 Do not get in eyes, on skin, or on clothing.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a

POISON CENTER/ doctor.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell.

Supplemental Hazard information (EU)

EUH032 Contact with acids liberates very toxic gas.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard statement(s)

H372 Causes damage to organs through prolonged or repeated

exposure.

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled.

Precautionary statement(s)

P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/ protective clothing.

P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a

POISON CENTER/ doctor.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell.

Supplemental Hazard information (EU)

EUH032 Contact with acids liberates very toxic gas.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : CNNa

Molecular weight : 49,01 g/mol CAS-No. : 143-33-9 EC-No. : 205-599-4 Index-No. : 006-007-00-5

Component		Classification	Concentration	
sodium cyanide				
CAS-No. EC-No.	143-33-9 205-599-4	Met. Corr. 1; Acute Tox. 1; STOT RE 1; Aquatic Acute	<= 100 %	
Index-No.	006-007-00-5	1; Aquatic Chronic 1; H290, H300, H330, H310, H372, H400, H410		
		M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1		

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Sodium oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **6.2** Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal containers.

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Do not store near acids.

#### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal**

# protection 8.1 Control parameters

Ingredients with workplace control

# parameters 8.2 Exposure controls

# Personal protective equipment

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

# **Body Protection**

protective clothing

# **Respiratory protection**

Recommended Filter type: Filter B-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Physical state crystallineb) Color whitec) Odor odorless

d) Melting Melting point/range: 563,7 °C - lit. point/freezing point

e) Initial boiling point 1.500 and boiling range

1.500 °C at 1,013 hPa

f) Flammability (solid, gas)

No data available

g) Upper/lower flammability or explosive limits

No data available

h) Flash point No data availablei) Autoignition No data available

temperature

j) Decomposition No data available temperature

k) pH 11,0 - 12,0 at 49,0 g/l at 25 °C

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility 370 g/l at 20 °C - completely soluble

n) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

o) Vapor pressure 1 hPa at 817 °C

p) Density 1,59 kg/m3 at 20 °C

Relative density No data available

q) Relative vapor

density

No data available

r) Particle No data available

characteristics

s) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

Dissociation constant ca.9,36 at 20 °C

- OECD Test Guideline 112

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Contact with acids liberates very toxic gas.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Risk of explosion with:

chlorates

nitrites

nitrates

Oxidizing agents

Release of:

Hydrogen cyanide (hydrocyanic acid)

Violent reactions possible with:

Nitric acid

urea

Carbon dioxide (CO2)

(in the presence of atmospheric oxygen and/or moisture)

Release of:

Hydrogen cyanide (hydrocyanic acid)

Generates dangerous gases or fumes in contact with:

alkali salts

Acids

Water

Release of:

Hydrogen cyanide (hydrocyanic acid)

Generates dangerous gases or fumes in contact with:

Acids

#### 10.4 Conditions to avoid

no information available

# 10.5 Incompatible materials

Aluminum, Metals, Zinc

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - female - 5,09 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male - 1 h - 63 ppm - gas

(OECD Test Guideline 403)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: hydrogen

cyanide LD50 Dermal - Rabbit - female - 7,35 mg/kg

Remarks: (ECHA)

LD50 Dermal - Rabbit - 10,4 mg/kg

Remarks: Behavioral: Somnolence (general depressed activity).

Behavioral:Tremor.

Lungs, Thorax, or Respiration: Dyspnea.

# Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: US-EPA

Result: negative

Test Type: Chromosome aberration test

Species: Rat

Application Route: Oral

Method: US-EPA Result: negative Carcinogenicity No data available

#### Reproductive toxicity

No data available

# Specific target organ toxicity - single

exposure No data available

#### Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. - Thyroid

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

#### **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

> components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

RTECS: VZ7525000

To the best of our knowledge, the chemical, physical, and toxicological properties have

not been thoroughly investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Gasterosteus aculeatus - 0,0988 mg/l - 96

Remarks: (referred to cyanide ions)

(ECHA)

Toxicity to daphnia and other aquatic

semi-static test EC50 - Chironomus riparius (harlequin fly) - 0,012

mg/l - 48 h

invertebrates

(OECD Test Guideline 202)

semi-static test NOEC - Chironomus riparius (harlequin fly) - 0,006

mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae EC50 - Nitzschia closterium - 0,051 mg/l - 72 h Toxicity to bacteria EC50 - Bacteria - 4,9 - 6 h

mg/l Remarks: (ECHA)

# 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 42 d

Result: ca.99 % - Inherently biodegradable.

Remarks: (ECHA)

Chemical Oxygen 816 mg/g

Demand (COD) Remarks: (IUCLID)

Ratio BOD/ThBOD 6 %

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

# **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14: Transport information**

# 14.1 UN number

ADR/RID: 1689 IMDG: 1689 IATA: 1689

# 14.2 UN proper shipping name

ADR/RID: SODIUM CYANIDE, SOLID IMDG: SODIUM CYANIDE, SOLID IATA: Sodium cyanide, solid

# 14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

#### 14.4 Packaging group

ADR/RID: I IMDG: I IATA: I

#### 14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

#### 14.6 Special precautions for user

No data available

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# **National legislation**

Seveso III: Directive 2012/18/EU of the European : ACUTE TOXIC Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: ENVIRONMENTAL HAZARDS

# Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

FI IH032

# Full text of H-Statements referred to under sections 2 and 3.

LUTIUJZ	Contact with acids liberates very toxic gas.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H300 + H310 +	Fatal if swallowed, in contact with skin or if inhaled.
H330	
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Contact with acids liberates very toxic das

# Relevant changes since previous version

2. Hazards identification

#### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Union group and its Affiliates shall not be held liable for any

damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Union Group Chemical Company S.L. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact sales department.